




ERDWICH

... SHREDDING UNLIMITED ...

ERDWICH
TWO-SHAFT-SHREDDER
M468/2-750
M468/2-1000
M468/2-1250



Advantages and special features

ERDWICH M468/2

■ Simple maintenance:

- | Fast access to cutter shafts
- | Individually fitted, replaceable cutters, spacing rings and sweepers

■ Savings on operating costs:

- | Long service life guaranteed by cutters from custom blade steel, fully hardened to permit repeated re-sharpening

■ Highly-efficient shredding:

- | High-precision cutter assembly with cutter shapes adjusted to the material
- | Configurable population of the cutter discs on a 6-sided shaft, ensuring optimum feed-in behaviour

■ High throughput – low drive power consumption:

- | Tightest-possible cutter spacing, ensuring energy-saving shredding without causing machine jams
- | Special sweeper systems with self-cleaning feature

■ Robust and long-lived:

- | Generously dimensioned, milled cutter shafts
- | Bulkhead seals to protect the shaft bearing from liquid and aggressive materials

■ Cost-effective, safe operation:


- | PLC unit featuring automated reverse and power cut-off to protect the machine against damage from overloading or solid part



ERDWICH

... SHREDDING UNLIMITED ...

ERDWICH
TWO-SHAFT-SHREDDER
M468/2-750
M468/2-1000
M468/2-1250



Technical Data

Type	Number of shafts	Drive power in kW	Cutting unit size (LxW) mm	Weight (kg)	Width of rotor knife (mm)
M468/2-720	2	15,0 - 18,5	758 x 642	2.100	30
M468/2-1000	2	15,0 - 18,5	1.008 x 642	2.425	30
M468/2-1250	2	15,0 - 18,5	1.258 x 642	2.685	50

Dimensions:				
	Dimension	M468/2-750(S)*	M468/2-1000(S)*	M468/2-1250 (S)*
Cutting unit length B	mm	758	1008	1258
Cutting unit width G	mm	700	700	700
Cutting unit height A	mm	380	380	380
Total length C	mm	1437 (1687)	1687 (1937)	1937 (2187)
Total height E	mm	540	540	540
Total width D	mm	1194	1194	1194
Shaft Distance F	mm	262	262	262

Subject to technical changes.

*(S) Barrier wall version

